
| | _ | | b | 6 | ō |
|-------|---------|-----|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 1 : 1 | PR_63 - | - 2 | | | |
| - | | _ | | | |



Note: Tracks are now grouped by subcluster and scaled. Switching in subcluster is indicated by changes in track color. Track scale is now set by default to display the region 30 bp upstream of start 1 to 30 bp downstream of the last possible start. If this default region is judged to be packed too tightly with annotated starts, the track will be further scaled to only show that region of the ORF with annotated starts. This action will be indicated by adding "Zoomed" to the title. For starts, yellow indicates the location of called starts comprised solely of Glimmer/GeneMark auto-annotations, green indicates the location of called starts with at least 1 manual gene annotation.

Pham 8160 Report

This analysis was run 04/28/24 on database version 559.

Pham number 8160 has 5 members, 0 are drafts.

Phages represented in each track:

• Track 1: PR 63, D12 62, Megabear 63

Track 2 : Taptic_63, Cepens_63

Summary of Final Annotations (See graph section above for start numbers):

The start number called the most often in the published annotations is 3, it was called in 5 of the 5 non-draft genes in the pham.

Genes that call this "Most Annotated" start:

Cepens_63, D12_62, Megabear_63, PR_63, Taptic_63,

Genes that have the "Most Annotated" start but do not call it:

Genes that do not have the "Most Annotated" start:

•

Summary by start number:

Start 3:

- Found in 5 of 5 (100.0%) of genes in pham
- Manual Annotations of this start: 5 of 5
- Called 100.0% of time when present
- Phage (with cluster) where this start called: Cepens_63 (W), D12_62 (W), Megabear_63 (W), PR_63 (W), Taptic_63 (W),

Summary by clusters:

There is one cluster represented in this pham: W

Info for manual annotations of cluster W:

•Start number 3 was manually annotated 5 times for cluster W.

Gene Information:

Gene: Cepens_63 Start: 48051, Stop: 48143, Start Num: 3

Candidate Starts for Cepens_63:

(1, 47730), (2, 47823), (Start: 3 @48051 has 5 MA's), (4, 48102), (5, 48108), (6, 48120),

Gene: D12_62 Start: 48599, Stop: 48691, Start Num: 3

Candidate Starts for D12_62:

(1, 48278), (2, 48371), (Start: 3 @48599 has 5 MA's), (4, 48650), (5, 48656), (6, 48668),

Gene: Megabear_63 Start: 47972, Stop: 48064, Start Num: 3

Candidate Starts for Megabear_63:

(1, 47651), (2, 47744), (Start: 3 @47972 has 5 MA's), (4, 48023), (5, 48029), (6, 48041),

Gene: PR_63 Start: 48576, Stop: 48668, Start Num: 3

Candidate Starts for PR_63:

(1, 48255), (2, 48348), (Start: 3 @48576 has 5 MA's), (4, 48627), (5, 48633), (6, 48645),

Gene: Taptic_63 Start: 47972, Stop: 48064, Start Num: 3

Candidate Starts for Taptic_63:

(1, 47651), (2, 47744), (Start: 3 @47972 has 5 MA's), (4, 48023), (5, 48029), (6, 48041),