Pham 89202



2	~ ~	66	1	Ŷ	9 i	<i>l</i> o	ŝ	~~
2:	łannaconda_1	108 + 1						

Note: Tracks are now grouped by subcluster and scaled. Switching in subcluster is indicated by changes in track color. Track scale is now set by default to display the region 30 bp upstream of start 1 to 30 bp downstream of the last possible start. If this default region is judged to be packed too tightly with annotated starts, the track will be further scaled to only show that region of the ORF with annotated starts. This action will be indicated by adding "Zoomed" to the title. For starts, yellow indicates the location of called starts comprised solely of Glimmer/GeneMark auto-annotations, green indicates the location of called starts with at least 1 manual gene annotation.

Pham 89202 Report

This analysis was run 04/28/24 on database version 559.

Pham number 89202 has 4 members, 1 are drafts.

Phages represented in each track:

- Track 1 : Phoebus_123, Dallas_123
- Track 2 : Hannaconda_108, Odette_124

Summary of Final Annotations (See graph section above for start numbers):

The start number called the most often in the published annotations is 8, it was called in 2 of the 3 non-draft genes in the pham.

Genes that call this "Most Annotated" start: • Dallas_123, Phoebus_123,

Genes that have the "Most Annotated" start but do not call it: • Hannaconda 108, Odette 124,

Genes that do not have the "Most Annotated" start:

•

Summary by start number:

Start 8:

- Found in 4 of 4 (100.0%) of genes in pham
- Manual Annotations of this start: 2 of 3
- Called 50.0% of time when present
- Phage (with cluster) where this start called: Dallas_123 (J), Phoebus_123 (J),

Start 10:

- Found in 2 of 4 (50.0%) of genes in pham
- Manual Annotations of this start: 1 of 3
- Called 100.0% of time when present
- Phage (with cluster) where this start called: Hannaconda_108 (J), Odette_124 (J),

Summary by clusters:

There is one cluster represented in this pham: J

Info for manual annotations of cluster J:

•Start number 8 was manually annotated 2 times for cluster J.

•Start number 10 was manually annotated 1 time for cluster J.

Gene Information:

Gene: Dallas_123 Start: 68911, Stop: 69108, Start Num: 8 Candidate Starts for Dallas_123: (3, 68758), (4, 68767), (5, 68797), (Start: 8 @68911 has 2 MA's), (11, 68977), (12, 69037),

Gene: Hannaconda_108 Start: 62524, Stop: 62715, Start Num: 10 Candidate Starts for Hannaconda_108: (1, 62266), (2, 62269), (4, 62290), (5, 62320), (6, 62323), (7, 62368), (Start: 8 @62437 has 2 MA's), (9, 62470), (Start: 10 @62524 has 1 MA's), (13, 62689), (14, 62707),

Gene: Odette_124 Start: 69174, Stop: 69365, Start Num: 10 Candidate Starts for Odette_124: (1, 68916), (2, 68919), (4, 68940), (5, 68970), (6, 68973), (7, 69018), (Start: 8 @69087 has 2 MA's), (9, 69120), (Start: 10 @69174 has 1 MA's), (13, 69339), (14, 69357),

Gene: Phoebus_123 Start: 70341, Stop: 70538, Start Num: 8 Candidate Starts for Phoebus_123: (3, 70188), (4, 70197), (5, 70227), (Start: 8 @70341 has 2 MA's), (11, 70407), (12, 70467),