



Note: Tracks are now grouped by subcluster and scaled. Switching in subcluster is indicated by changes in track color. Track scale is now set by default to display the region 30 bp upstream of start 1 to 30 bp downstream of the last possible start. If this default region is judged to be packed too tightly with annotated starts, the track will be further scaled to only show that region of the ORF with annotated starts. This action will be indicated by adding "Zoomed" to the title. For starts, yellow indicates the location of called starts comprised solely of Glimmer/GeneMark auto-annotations, green indicates the location of called starts with at least 1 manual gene annotation.

Pham 281337 Report

This analysis was run 02/07/26 on database version 634.

Pham number 281337 has 5 members, 0 are drafts.

Phages represented in each track:

- Track 1 : Euratis_26
- Track 2 : Dubu_24
- Track 3 : AbbeyMikolon_29
- Track 4 : Nesbitt_29
- Track 5 : Ponzi_18

Summary of Final Annotations (See graph section above for start numbers):

The start number called the most often in the published annotations is 4, it was called in 2 of the 5 non-draft genes in the pham.

Genes that call this "Most Annotated" start:

- Euratis_26, Ponzi_18,

Genes that have the "Most Annotated" start but do not call it:

-

Genes that do not have the "Most Annotated" start:

- AbbeyMikolon_29, Dubu_24, Nesbitt_29,

Summary by start number:

Start 3:

- Found in 1 of 5 (20.0%) of genes in pham
- Manual Annotations of this start: 1 of 5
- Called 100.0% of time when present
- Phage (with cluster) where this start called: Dubu_24 (BJ),

Start 4:

- Found in 2 of 5 (40.0%) of genes in pham
- Manual Annotations of this start: 2 of 5
- Called 100.0% of time when present
- Phage (with cluster) where this start called: Euratis_26 (BB1), Ponzi_18 (singleton),

Start 5:

- Found in 2 of 5 (40.0%) of genes in pham
- Manual Annotations of this start: 2 of 5
- Called 100.0% of time when present
- Phage (with cluster) where this start called: AbbeyMikolon_29 (BL), Nesbitt_29 (BL),

Summary by clusters:

There are 4 clusters represented in this pham: BL, singleton, BJ, BB1,

Info for manual annotations of cluster BB1:

- Start number 4 was manually annotated 1 time for cluster BB1.

Info for manual annotations of cluster BJ:

- Start number 3 was manually annotated 1 time for cluster BJ.

Info for manual annotations of cluster BL:

- Start number 5 was manually annotated 2 times for cluster BL.

Gene Information:

Gene: AbbeyMikolon_29 Start: 22699, Stop: 22830, Start Num: 5

Candidate Starts for AbbeyMikolon_29:

(1, 22657), (Start: 5 @22699 has 2 MA's), (9, 22744), (11, 22783), (14, 22816),

Gene: Dubu_24 Start: 20714, Stop: 20848, Start Num: 3

Candidate Starts for Dubu_24:

(Start: 3 @20714 has 1 MA's), (14, 20840),

Gene: Euratis_26 Start: 21061, Stop: 21198, Start Num: 4

Candidate Starts for Euratis_26:

(2, 21031), (Start: 4 @21061 has 2 MA's), (6, 21088), (7, 21094), (8, 21100), (10, 21118), (12, 21169), (14, 21187),

Gene: Nesbitt_29 Start: 22712, Stop: 22843, Start Num: 5

Candidate Starts for Nesbitt_29:

(1, 22667), (Start: 5 @22712 has 2 MA's), (9, 22757), (11, 22796),

Gene: Ponzi_18 Start: 10418, Stop: 10284, Start Num: 4

Candidate Starts for Ponzi_18:

(Start: 4 @10418 has 2 MA's), (13, 10298), (14, 10295),