




Note: Tracks are now grouped by subcluster and scaled. Switching in subcluster is indicated by changes in track color. Track scale is now set by default to display the region 30 bp upstream of start 1 to 30 bp downstream of the last possible start. If this default region is judged to be packed too tightly with annotated starts, the track will be further scaled to only show that region of the ORF with annotated starts. This action will be indicated by adding "Zoomed" to the title. For starts, yellow indicates the location of called starts comprised solely of Glimmer/GeneMark auto-annotations, green indicates the location of called starts with at least 1 manual gene annotation.

Pham 286244 Report

This analysis was run 03/28/26 on database version 641.

Pham number 286244 has 6 members, 2 are drafts.

Phages represented in each track:

- Track 1 : Johann_9, Olympi_10, Goodman_9
- Track 2 : Typher_10, AyoTeo_10, Labella_10

Summary of Final Annotations (See graph section above for start numbers):

The start number called the most often in the published annotations is 1, it was called in 3 of the 4 non-draft genes in the pham.

Genes that call this "Most Annotated" start:

- Goodman_9, Johann_9, Olympi_10,

Genes that have the "Most Annotated" start but do not call it:

-

Genes that do not have the "Most Annotated" start:

- AyoTeo_10, Labella_10, Typher_10,

Summary by start number:

Start 1:

- Found in 3 of 6 (50.0%) of genes in pham
- Manual Annotations of this start: 3 of 4
- Called 100.0% of time when present
- Phage (with cluster) where this start called: Goodman_9 (EJ), Johann_9 (EJ), Olympi_10 (EJ),

Start 2:

- Found in 6 of 6 (100.0%) of genes in pham
- Manual Annotations of this start: 1 of 4
- Called 50.0% of time when present
- Phage (with cluster) where this start called: AyoTeo_10 (EJ), Labella_10 (EJ), Typher_10 (EJ),

Summary by clusters:

There is one cluster represented in this pham: EJ

Info for manual annotations of cluster EJ:

- Start number 1 was manually annotated 3 times for cluster EJ.
- Start number 2 was manually annotated 1 time for cluster EJ.

Gene Information:

Gene: AyoTeo_10 Start: 8194, Stop: 8084, Start Num: 2

Candidate Starts for AyoTeo_10:

(Start: 2 @8194 has 1 MA's),

Gene: Goodman_9 Start: 8235, Stop: 8116, Start Num: 1

Candidate Starts for Goodman_9:

(Start: 1 @8235 has 3 MA's), (Start: 2 @8223 has 1 MA's),

Gene: Johann_9 Start: 8235, Stop: 8116, Start Num: 1

Candidate Starts for Johann_9:

(Start: 1 @8235 has 3 MA's), (Start: 2 @8223 has 1 MA's),

Gene: Labella_10 Start: 8198, Stop: 8088, Start Num: 2

Candidate Starts for Labella_10:

(Start: 2 @8198 has 1 MA's),

Gene: Olympi_10 Start: 8226, Stop: 8107, Start Num: 1

Candidate Starts for Olympi_10:

(Start: 1 @8226 has 3 MA's), (Start: 2 @8214 has 1 MA's),

Gene: Typher_10 Start: 8197, Stop: 8087, Start Num: 2

Candidate Starts for Typher_10:

(Start: 2 @8197 has 1 MA's),