



Note: Tracks are now grouped by subcluster and scaled. Switching in subcluster is indicated by changes in track color. Track scale is now set by default to display the region 30 bp upstream of start 1 to 30 bp downstream of the last possible start. If this default region is judged to be packed too tightly with annotated starts, the track will be further scaled to only show that region of the ORF with annotated starts. This action will be indicated by adding "Zoomed" to the title. For starts, yellow indicates the location of called starts comprised solely of Glimmer/GeneMark auto-annotations, green indicates the location of called starts with at least 1 manual gene annotation.

## Pham 295484 Report

This analysis was run 04/18/26 on database version 643.

Pham number 295484 has 6 members, 1 are drafts.

Phages represented in each track:

- Track 1 : Banquo\_19
- Track 2 : Vendetta\_15, Splinter\_15, Goib\_16
- Track 3 : TinaLin\_18
- Track 4 : Gspu1\_13

### ***Summary of Final Annotations (See graph section above for start numbers):***

The start number called the most often in the published annotations is 6, it was called in 3 of the 5 non-draft genes in the pham.

Genes that call this "Most Annotated" start:

- Goib\_16, Gspu1\_13, Splinter\_15, Vendetta\_15,

Genes that have the "Most Annotated" start but do not call it:

- TinaLin\_18,

Genes that do not have the "Most Annotated" start:

- Banquo\_19,

### **Summary by start number:**

Start 5:

- Found in 1 of 6 ( 16.7% ) of genes in pham
- Manual Annotations of this start: 1 of 5
- Called 100.0% of time when present
- Phage (with cluster) where this start called: TinaLin\_18 (CU1),

Start 6:

- Found in 5 of 6 ( 83.3% ) of genes in pham
- Manual Annotations of this start: 3 of 5
- Called 80.0% of time when present
- Phage (with cluster) where this start called: Goib\_16 (CU1), Gspu1\_13 (CU2), Splinter\_15 (CU1), Vendetta\_15 (CU1),

Start 7:

- Found in 1 of 6 ( 16.7% ) of genes in pham
- Manual Annotations of this start: 1 of 5
- Called 100.0% of time when present
- Phage (with cluster) where this start called: Banquo\_19 (CU1),

### **Summary by clusters:**

There are 2 clusters represented in this pham: CU2, CU1,

Info for manual annotations of cluster CU1:

- Start number 5 was manually annotated 1 time for cluster CU1.
- Start number 6 was manually annotated 3 times for cluster CU1.
- Start number 7 was manually annotated 1 time for cluster CU1.

### **Gene Information:**

Gene: Banquo\_19 Start: 11130, Stop: 11342, Start Num: 7

Candidate Starts for Banquo\_19:

(1, 10992), (2, 10995), (3, 11037), (4, 11088), (Start: 7 @11130 has 1 MA's), (8, 11136), (10, 11190), (11, 11220), (13, 11247), (15, 11310),

Gene: Goib\_16 Start: 10039, Stop: 10251, Start Num: 6

Candidate Starts for Goib\_16:

(Start: 6 @10039 has 3 MA's), (8, 10045), (11, 10129), (12, 10147),

Gene: Gspu1\_13 Start: 8489, Stop: 8701, Start Num: 6

Candidate Starts for Gspu1\_13:

(Start: 6 @8489 has 3 MA's), (9, 8507), (14, 8624),

Gene: Splinter\_15 Start: 10039, Stop: 10251, Start Num: 6

Candidate Starts for Splinter\_15:

(Start: 6 @10039 has 3 MA's), (8, 10045), (11, 10129), (12, 10147),

Gene: TinaLin\_18 Start: 10742, Stop: 10963, Start Num: 5

Candidate Starts for TinaLin\_18:

(Start: 5 @10742 has 1 MA's), (Start: 6 @10751 has 3 MA's), (8, 10757), (10, 10811), (13, 10868), (15, 10931),

Gene: Vendetta\_15 Start: 10039, Stop: 10251, Start Num: 6

Candidate Starts for Vendetta\_15:

(Start: 6 @10039 has 3 MA's), (8, 10045), (11, 10129), (12, 10147),